Slash® Modified
(Model 104354-74) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Bearings & Bushings

5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
5114	Ball bearings, blue rubber shield (5x8x2.5mm) (2)
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)

Body & Accessories

1926	Antenna caps, vinyl (2)/ antenna spool
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
10417	Body cage (front & rear, left & right) (fits #10411 body)
10414	Body cage, driver/ retainers (3) (fits #10411 body)
10413	Body reinforcement set (front & rear) (fits #10411 body)
10415	Body reinforcement set, side (front, middle, rear) (left & right) (fits #10411 body)
10416	Body washers (2)/ roof washers (5)/ 3x10mm CCS (7) (fits #10411 body)
10411	**Body, Slash® Modified (clear, trimmed, requires painting)/ decal sheets**
10411-BLUE	Body, Slash® Modified, blue (painted, decals applied) (assembled with front & rear body mount latches and body support for clipless mounting)
10411-GRN	Body, Slash® Modified, green (painted, decals applied) (assembled with front & rear body mount latches and body support for clipless mounting)
10411-ORNG	Body, Slash® Modified, orange (painted, decals applied) (assembled with front & rear body mount latches and body support for clipless mounting)
10411-PINK	Body, Slash® Modified, pink (painted, decals applied) (assembled with front & rear body mount latches and body support for clipless mounting)
10411X	**Body, Slash® Modified, ProGraphix® (graphics are printed, requires paint & final color application)/ decal sheets**
10411-RED	Body, Slash® Modified, red (painted, decals applied) (assembled with front & rear body mount latches and body support for clipless mounting)
2514	**Decal sheet, racing sponsors**
10421	Decal sheets, Slash® Modified (2)
10419	Interior, Slash® Modified, black (painted)/ decal sheet
10412	Latch, body mount (front & rear) (fits #10411 body)
9950	**Official Team Traxxas® racing decal set(flag logo/ 6-color)**
10418	Wing, Slash® Modified (black)

Chassis & Attachments

5526	Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tool
5526R	**Antenna crimp nut, aluminum (red-anodized)/ antenna nut tool**
10422	Body mounts (front & rear) (for clipless body mounting)
6940	Body mounts (front & rear) (for clipless body mounting)
5624	Box, receiver (sealed)/ foam pad/ silicone grease/ 3x8mm BCS (2)/ 2.5x8mm CS (2)/ 3x6mm BCS (2)
10436	Bumper, front (upper (1), lower (1))
5836	Bumper, rear/ bumper mount, rear (black)
5836P	**Bumper, rear/ bumper mount, rear (pink)**
5830	**Chassis conversion kit, low CG (Slash®)**
5832	**Chassis, low CG (black)**
5832A	**Chassis, low CG (blue)**
5832G	Chassis, low CG (grey)
5827	Hold down, battery/ hold down retainer/ battery post/ foam spacer/ angled body clip
5827X	**Hold down, battery/ hold down retainer/ battery post/ foam spacer/ angled body clip (allows for installation of taller, multi-cell batteries)**
5831	**Lower chassis, low CG (black)**
5831A	**Lower chassis, low CG (blue)**
5831G	Lower chassis, low CG (grey)
5833	Nerf bars, low CG (black)
5833A	**Nerf bars, low CG (blue)**
5833G	**Nerf bars, low CG (grey)**
5625	Seal kit, receiver box (includes o-ring, seals, and silicone grease)

Differential Components

9480A	Differential assembly, center, complete (fits Pro Series Magnum 272R™ Transmission)
9482	Differential gasket/ x-rings (2)
9481	Differential with steel ring gear/ side cover plate/ gasket/ x-rings (2)/ 2.5x10mm BCS (4)
9492	Idler gear, 30-tooth/ idler gear shaft (steel)
2381X	Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®)
9483	Output gears, differential (2)
2382	Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel
2388X	Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®)
5169	Screws, 2.6x8mm countersunk machine (6) (EZ Start 2 motor)
1647	Silicone Grease

Driveline Components

5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
9150	**Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9150-BLUE	**Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9150-GRAY	Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9150-GRN	**Carriers, stub axle, rear, extreme heavy duty, green (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9150-ORNG	**Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9150-RED	**Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9059X	**Cross pin (2)/ drive pin (2) (repairs 1 axle shaft)**
9057X	**Differential output shafts, steel-splined constant-velocity (2)**
6828A	Differential output yoke assembly, extreme heavy duty (2) (left or right, front or rear) (assembled with external-splined half shaft)/ screw pin (2)
6851A	Driveshaft assembly, front, extreme heavy duty (1) (left or right) (fully assembled, ready to install)/ screw pin (1)
6852A	Driveshaft assembly, rear, extreme heavy duty (1) (left or right) (fully assembled, ready to install)/ screw pin (1)
6852R	**Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2)**
9052X	**Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2)**
9055X	**Half shaft, external splined (steel-spline constant velocity) (1)**
6750	**Half shaft, external splined (steel-spline constant velocity) (1)**
9056X	**Half shaft, internal splined (steel-spline constant velocity) (1)**
6751	**Half shaft, internal splined (steel-spline constant velocity) (1)**
6850X	Half shafts, heavy duty (external splined (2)/ internal splined (2))/ metal u-joints (4)
9058X	**Rebuild kit, steel-splined constant-velocity driveshafts (includes pins and hardware for one axle shaft)**
6757	**Rebuild kit, steel-splined constant-velocity driveshafts (includes pins, dustboots, lube, and hardware)**
6854A	Stub axle assembly, front, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft)
6853A	Stub axle assembly, rear, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft)
6754	**Stub axle, front, steel-splined constant velocity (1)**
6753	**Stub axle, rear, steel-splined constant velocity (1)**
9053X	**Stub axle, rear, steel-splined constant velocity (1)**
9042	Suspension pin set, extreme heavy duty, complete (front and rear) (3x52mm (4), 3x32mm (2), 3x40mm (2)) (for use with #9080 upgrade kit)

Extreme HD Upgrade Kit

9150	**Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9150-BLUE	**Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9150-GRAY	Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9150-GRN	**Carriers, stub axle, rear, extreme heavy duty, green (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**

9150-ORNG **Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9150-RED **Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9136 **Caster blocks (c-hubs), extreme heavy duty, black (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)**
9136-BLUE **Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)**
9136-GRAY Caster blocks (c-hubs), extreme heavy duty, gray (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)
9136-GRN **Caster blocks (c-hubs), extreme heavy duty, green (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)**
9136-ORNG **Caster blocks (c-hubs), extreme heavy duty, orange (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)**
9136-RED **Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)**
9181 **Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, black (fits Slash® 2WD)**
9181-BLUE **Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, blue (fits Slash® 2WD)**
9181-GRAY Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, gray (fits Slash® 2WD)
9181-GRN **Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, green (fits Slash® 2WD)**
9181-ORNG **Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, orange (fits Slash® 2WD)**
9181-RED **Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, red (fits Slash® 2WD)**
3638R Shock tower (rear) (for clipless body mounting)
9137 **Steering blocks, extreme heavy duty, black (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9137-BLUE **Steering blocks, extreme heavy duty, blue (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9137-GRAY Steering blocks, extreme heavy duty, gray (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9137-GRN **Steering blocks, extreme heavy duty, green (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9137-ORNG **Steering blocks, extreme heavy duty, orange (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9137-RED **Steering blocks, extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**

Front Suspension & Steering

3637 Axles (front) (2)
5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
2530 Bulkhead (front) (black)
2530A **Bulkhead (front) (grey)**
9136 **Caster blocks (c-hubs), extreme heavy duty, black (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)**
9136-BLUE **Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)**
9136-GRAY Caster blocks (c-hubs), extreme heavy duty, gray (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)
9136-GRN **Caster blocks (c-hubs), extreme heavy duty, green (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)**
9136-ORNG **Caster blocks (c-hubs), extreme heavy duty, orange (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)**
9136-RED **Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)**
6846 Linkage, steering (Revo) (3x20mm turnbuckle) (1)/ rod ends (2)/ hollow balls (2)
5347 Rod ends, Revo® (large) with hollow balls (12)
3646 Screws, 3x15mm flat-head machine (hex drive) (6)
3639 Shock tower (front)
3743A **Steering bellcranks, drag link (blue-anodized T6 aluminum)/ 5x8mm ball bearings (4) hardware (assembled) (requires #3744 servo saver w/adapters)**
3743G **Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)**
3743T **Steering bellcranks, drag link (orange-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)**
3743P **Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)**
3743X **Steering bellcranks, drag link (red-anodized T6 aluminum)/ 5x8mm ball bearings (4) hardware (assembled) (requires #3744 servo saver w/adapters)**
6845X Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering
9137 **Steering blocks, extreme heavy duty, black (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9137-BLUE **Steering blocks, extreme heavy duty, blue (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9137-GRAY Steering blocks, extreme heavy duty, gray (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9137-GRN **Steering blocks, extreme heavy duty, green (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9137-ORNG **Steering blocks, extreme heavy duty, orange (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9137-RED **Steering blocks, extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
6854A Stub axle assembly, front, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft)
3631X Suspension arms, black, front, heavy duty (2)
3631A **Suspension arms, blue, front, heavy duty (2)**
3631G **Suspension arms, green, front, heavy duty (2)**
3631T **Suspension arms, orange, front, heavy duty (2)**
3631R **Suspension arms, red, front, heavy duty (2)**
2640 Suspension pins, 44mm (2) w/ E-clips
3640 Suspension screw pin set, steel (hex drive) (requires part # 2640 for a complete suspension pin set) (Rustler®, Stampede®, Bandit)
2532 Tie bar, fiberglass
1935 Turnbuckles, 36mm (2)
3139A **Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
3139G **Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
3139T **Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
3139P **Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
3139X **Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
3644 Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)
3745 Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)

Hardware

1926 **Antenna caps, vinyl (2)/ antenna spool**
1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
3935 Body clip (mounting clip), angled, 90-degrees (10)
3935A **Body clip (mounting clip), angled, 90-degrees (black) (10)**
4859 CS 3x10 flathead (hex drive)
1589 Double-sided adhesive tape (25mm x 25mm)
1633 E-clips/ C-rings
2745 Nuts, 3mm nylon locking (12)
1747P **Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)**
8347 Nuts, 4mm flanged nylon locking, serrated (black) (10)
1747 Nuts, 4mm nylon locking (10)
1747R **Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)**
1747G **Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)**
1747T **Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)**
1747A **Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)**
1985 PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
5525 Rod ends (12)/ hollow balls (12)

5347 Rod ends, Revo® (large) with hollow balls (12)
2742X Rod ends, short (6)/ hollow balls (6)
3215 Screws, 2.5x6mm cap-head machine (hex drive) (6)
3965 Screws, 2.5x8mm cap-head machine (6)
2577 Screws, 3x10mm button-head machine (hex drive) (6) (use with #3744)
2578 Screws, 3x12mm button-head machine (hex drive) (6)
2552 Screws, 3x12mm countersunk machine (6) (hex drive)
2579 Screws, 3x15mm button-head machine (hex drive) (6)
2586 Screws, 3x15mm cap-head machine (hex drive) (6)
3646 Screws, 3x15mm flat-head machine (hex drive) (6)
2583 Screws, 3x18 button-head machine (hex drive) (6)
2580 Screws, 3x20mm button-head machine (hex drive) (6)
2591 Screws, 3x23mm button-head machine (hex drive) (6)
2582 Screws, 3x30mm button-head machine (hex drive) (6)
2592 Screws, 3x40mm button-head machine (hex drive) (6)
2575 Screws, 3x6mm button-head machine (hex drive) (6)
3932 Screws, 3x6mm flat-head machine (hex drive) (6)
2576 Screws, 3x8mm button-head machine (hex drive) (6)
3931 Screws, 3x8mm flat-head machine (hex drive) (6)
3937 Screws, 4x12mm button-head machine (hex drive) (6)
2542 Screws, 4x12mm countersunk machine (hex drive) (6)
2546 Screws, 4x15mm countersunk machine (hex drive) (6)
2743 Set (grub) screws, 3mm hardened (12)
5529 Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)
3967 Shoulder screws 3x10 (6) (without threadlock)
3642X Shoulder screws, Ultra Shocks (3x12 hex drive) (6)
2754 Stub axle pins (4)
2746 Washers, 3x6mm metal (12)

Motors & Electronics

1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
2260 BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)
3382 BL-2s™ Brushless Power System, waterproof (includes BL-2s™ ESC & BL-2s™ 3300 motor)
3383 BL-2s™ Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)
3340 Cooling fan, electronic speed control, Velineon® VXL-3s or BL-2s™
3790 Gear adapter, fixed
2072A Gear set (for 2070, 2075 servos)
2252 Gear set, metal (for 2250, 2255 servos)
2272 Gear set, metal (for 2270 waterproof servo)
3384 Motor, BL-2s™ 3300, brushless
3931 Screws, 3x8mm flat-head machine (hex drive) (6)
2254 Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)
2253 Servo case, aluminum (middle) (red-anodized) (for 2255 servo)
2251 Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
2074 Servo case/gaskets (for 2056 and 2075 waterproof servos)
2075R Servo, digital high-speed, metal gear (ball bearing), waterproof
2075 Servo, digital high-torque (ball bearing), waterproof
2250 Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof
2255 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof
2270 Servo, digital high-torque, metal gear (ball bearing), waterproof
2075X Servo, digital high-torque, metal gear (ball bearing), waterproof
3350R Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC , Velineon® 3500 motor, and speed control mounting plate (part #3725))

Radio System, Batteries & Chargers

2827X 3000mah 7.4v 2-Cell LiPo Battery
2923X 3000mAh 8.4V 7-cell flat NiMH Battery, Power Cell
2926X 3000mAh 8.4V 7-cell hump NiMH Battery, Power Cell
2940X 3300mAh 8.4V 7-cell flat NiMH Battery, Series 3 Power Cell
2941X 3300mAh 8.4V 7-cell hump NiMH Battery, Series 3 Power Cell
2950X 4200mAh 8.4V 7-cell flat NiMH Battery, Series 4 Power Cell
2951X 4200mAh 8.4V 7-cell hump NiMH Battery, Series 4 Power Cell
2842X 5000mah 7.4v 2-Cell 25C LiPo Battery
2960X 5000mAh 8.4V 4-cell flat NiMH Battery, Series 5 Power Cell
2961X 5000mAh 8.4V 7-cell hump NiMH Battery, Series 5 Power Cell
2843X 5800mah 7.4v 2-Cell 25C LiPo Battery
2869X 7600mah 7.4v 2-Cell 25C LiPo Battery
2976 AC to DC adapter
2938X Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports)
5526 Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tool
5526R Antenna crimp nut, aluminum (red-anodized)/ antenna nut tool
2943 Battery charge indicators, green (4), grey (4), blue (4)
6548 Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter)
2914 Battery, Power Cell AA Alkaline (4)
2983 Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH iD® battery (1))
2992 Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo iD® battery (1))
2985-2S Battery/charger completer pack (includes #2985 charger (1), #2827X 3000mAh 7.4V 2-cell 20C LiPo iD® Battery (1))
2260 BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)
2975 Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)
2972 Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification
2973 Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification
2970 Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification
2981 Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification
2985 Charger, EZ-Peak®, USB-C, 40W, NiMH/LiPo with iD® Auto Battery Identification
2982 Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®)
6525 Communication link, telemetry expander
2971 EZ-Peak Live 12-amp NiMH/LiPo Fast Charger with iD® Auto Battery Identification and Bluetooth®
2978 Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977)
2072A Gear set (for 2070, 2075 servos)
2252 Gear set, metal (for 2250, 2255 servos)
2272 Gear set, metal (for 2270 waterproof servo)
2968X LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)
2968 LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)
6554X Mount, telemetry expander (fits Rustler®, Bandit, Slash 2WD)
6535 Mount, temperature sensor (electric motors)/ wire tie/ thermal pad
2912 Power adapter, AC, USB-C (45W) (110 volt, North America only)
2916 Power cable, USB-C, 100W (high output), 5 ft. (1.5m)
6519 Receiver, micro, TQ 2.4GHz (3-channel)
6552 Seal kit, expander box (includes o-ring, seals, and silicone grease)
6526 Sensor, auto-detectable, temperature
6527 Sensor, auto-detectable, voltage
6520 Sensor, RPM (long)/ 3x4mm BCS (1)/ 3x4 GS (1)
6521 Sensor, temperature and voltage (long)
2254 Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)
2253 Servo case, aluminum (middle) (red-anodized) (for 2255 servo)
2251 Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
2074 Servo case/gaskets (for 2056 and 2075 waterproof servos)
2075R Servo, digital high-speed, metal gear (ball bearing), waterproof
2075 Servo, digital high-torque (ball bearing), waterproof
2250 Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof
2255 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof
2075X Servo, digital high-torque, metal gear (ball bearing), waterproof
6553X Telemetry Expander 2.0 and GPS module 2.0, TQi radio system
6550X Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)
6551X Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)
6538 Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3)
6540 Telemetry trigger magnet, 5X2mm (1)
6509R TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link enabled, TSM® (2-ch transmitter, 5-ch micro receiver)
6507R TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro receiver)
6516 Transmitter, TQ 2.4GHz, 2-channel (transmitter only)
6528 Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 2-channel (transmitter only)
6529 Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 3-channel (transmitter only)

6530 **Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-channel (transmitter only)**
6511 **Traxxas® Link Bluetooth® module**
6537 **Wire retainers, gear cover/ 3x4mm BCS (2)**

Ready-To-Race Model

104354-74 Slash® Modified: 1/10-Scale 2WD Racing Truck with TQ™ 2.4GHz radio system

Rear Suspension

5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
9150 **Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9150-BLUE **Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9150-GRAY Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9150-GRN **Carriers, stub axle, rear, extreme heavy duty, green (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9150-ORNG **Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9150-RED **Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
3638R Shock tower (rear) (for clipless body mounting)
2555X Suspension arms, black, rear, heavy duty (2)
2555A **Suspension arms, blue, rear, heavy duty (2)**
2555G **Suspension arms, green, rear, heavy duty (2)**
2555T **Suspension arms, orange, rear, heavy duty (2)**
2555R **Suspension arms, red, rear, heavy duty (2)**
3640 Suspension screw pin set, steel (hex drive) (requires part # 2640 for a complete suspension pin set) (Rustler®, Stampede®, Bandit)
3644 Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)

Shock Oil

5031 **Oil, shock (20 wt, 200 cSt, 60cc) (silicone)**
5032 **Oil, shock (30 wt, 350 cSt, 60cc) (silicone)**
5033 **Oil, shock (40 wt, 500 cSt, 60cc) (silicone)**
5034 Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
5035 **Oil, shock (60 wt, 700 cSt, 60cc) (silicone)**
5036 **Oil, shock (70 wt, 900 cSt, 60cc) (silicone)**
5037 **Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)**
5029 **Shock oil bottle (60cc) (for mixing shock oil)**
5038X **Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)**
5038 **Spinning carousel rack**

Shocks (GTR)

7466X **Body, GTR long (hard-anodized, PTFE-coated aluminum) (1)**
7466 Body, GTR long shock, aluminum (blue-anodized) (PTFE-coated bodies) (1)
7466G **Body, GTR long shock, aluminum (green-anodized) (PTFE-coated bodies) (1)**
7466A **Body, GTR long shock, aluminum (orange-anodized) (PTFE-coated bodies) (1)**
7466R **Body, GTR long shock, aluminum (red-anodized) (PTFE-coated bodies) (1)**
7467X **Body, GTR xx-long (hard-anodized, PTFE-coated aluminum) (1)**
7467 Body, GTR xx-long shock, aluminum (blue-anodized) (PTFE-coated bodies) (1)
7467G **Body, GTR xx-long shock, aluminum (green-anodized) (PTFE-coated bodies) (1)**
7467A **Body, GTR xx-long shock, aluminum (orange-anodized) (PTFE-coated bodies) (1)**
7467R **Body, GTR xx-long shock, aluminum (red-anodized) (PTFE-coated bodies) (1)**
7468X **Caps & spring retainers, GTR shock (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2))**
7468 Caps and spring retainers, GTR long/xx-long shock (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2))
5475 Multi-tool (plastic)
5158 Nuts, 2.5mm nylon locking (12)
7463 Rebuild kit, GTR long/xx-long shocks (x-rings, bladders, pistons, piston nuts, shock rod ends, hollow balls) (renews 2 shocks)
5462 Rebuild kit, GTR shock (x-rings, bump stops, bladders, all pistons, piston nuts, shock rod ends) renews 2 shocks
5469 Rod ends (GTR shocks)
7464T Shaft, GTR long, TiN-coated (2)
7465T Shaft, GTR xx-long, TiN-coated (2)
7461 Shocks, GTR long blue-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)
7461G Shocks, GTR long green-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)
7461X **Shocks, GTR long, hard-anodized, PTFE-coated bodies with TiN shafts (assembled) (2) (without springs)**
7462 Shocks, GTR xx-long blue-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)
7462G Shocks, GTR xx-long green-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)
7462X **Shocks, GTR xx-long, hard-anodized, PTFE-coated bodies with TiN shafts (assembled) (2) (without springs)**
8459 **Spring retainers, lower (captured) (4)/ 2.5x10 CS (4)**
5427 **Spring, shock (GTR) (front 0.7 yellow) (1 pair)**
5428 **Spring, shock (GTR) (front) (0.9 rate orange) (1 pair)**
5432 **Spring, shock (GTR) (front) (1.3 rate gold) (1 pair)**
5429 **Spring, shock (GTR) (rear) (1.0 rate tan) (1 pair)**
5431 **Spring, shock (GTR) (rear) (1.2 rate silver) (1 pair)**
5430 **Spring, shock (GTR) (std. front) (1.1 rate green) (1 pair)**
5433 **Spring, shock (GTR) (std. rear) (1.4 rate pink) (1 pair)**
5940 **Spring, shock (red) (GTR) (1.8 rate double green stripe) (1 pair)**
5941 **Spring, shock (red) (GTR) (2.0 rate double black stripe)(1 pair)**
5942 **Spring, shock (red) (GTR) (2.3 rate double purple stripe) (1 pair)**
5434 Spring, shock (white) (GTR) (1.6 rate blue) (1 pair)

Slipper Clutch Components

9494 Input gear, 22-tooth/ input shaft (transmission) (heavy duty) (fits Bandit®, Rustler®, Stampede®, Slash® 2WD)
5552X Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
2554 Screws, 3x6mm caphead machine (hex drive) (6)
5556 Slipper pressure plate & hub (aluminum alloy)

Spur Gears & Pinion Gears

9491 **Gear adapter set, fixed (48-pitch)**
2416 **Gear, 16-T pinion (48-pitch) / set screw**
1918 **Gear, 18-T pinion (48-pitch) / set screw**
2419 **Gear, 19-T pinion (48-pitch) / set screw**
2422 **Gear, 22-T pinion (48-p) (fits 3mm shaft)/ set screw**
2423 Gear, 23-T pinion (48-pitch) (fits 3mm shaft)/ set screw
2426 **Gear, 26-T pinion (48-pitch) (fits 3mm shaft)/ set screw**
4728 **Gear, 28-T pinion (48-pitch) (fits 3mm shaft)/ set screw**
2429 **Gear, 29-T pinion (48-pitch) (fits 3mm shaft)/ set screw**
2431 **Gear, 31-T pinion (48-pitch) (fits 3mm shaft)/ set screw**
4725 **Gear, pinion (25-tooth) (48-pitch) / set screw**
4676 **Spur gear, 76-tooth (48-pitch) (for models with Torque Control slipper clutch)**
4683 **Spur gear, 83-tooth (48-pitch) (for models with Torque Control slipper clutch)**
4686 Spur gear, 86-tooth (48-pitch) (for models with Torque-Control slipper clutch)
4690 **Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch)**

Steering Components

6846 Linkage, steering (Revo) (3x20mm turnbuckle) (1)/ rod ends (2)/ hollow balls (2)
1985 PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
2742 Rod ends, long (6)/ hollow ball connectors (6)
5347 Rod ends, Revo® (large) with hollow balls (12)
3744 **Servo saver w/ adapters**
3967 Shoulder screws 3x10 (6) (without threadlock)
3743A **Steering bellcranks, drag link (blue-anodized T6 aluminum)/ 5x8mm ball bearings (4) hardware (assembled) (requires #3744 servo saver w/adapters)**
3743G **Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)**
3743T **Steering bellcranks, drag link (orange-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)**
3743P **Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)**
3743X **Steering bellcranks, drag link (red-anodized T6 aluminum)/ 5x8mm ball bearings (4) hardware (assembled) (requires #3744 servo saver w/adapters)**
6845X Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering
1935 Turnbuckles, 36mm (2)
3139A **Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**

3139G **Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
3139T **Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
3139P **Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
3139X **Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
3745 Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)
2746 Washers, 3x6mm metal (12)

Suspension Linkage

5525 Rod ends (12)/ hollow balls (12)
5347 Rod ends, Revo® (large) with hollow balls (12)
3739 Screw pin set (Rustler®/ Bandit/ Stampede®)
5529 Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)
2640 Suspension pins, 44mm (2) w/ E-clips
3640 Suspension screw pin set, steel (hex drive) (requires part # 2640 for a complete suspension pin set) (Rustler®, Stampede®, Bandit)
3139A **Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
3139G **Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
3139T **Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
3139P **Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
3139X **Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
3644 Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)
3745 Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)

Team Traxxas Items

9916 **Backpack, RC car carrier, 12" x 12" x 24" (fits TRX-4 & similar)**
2514 **Decal sheet, racing sponsors**
9917 **Duffel bag, medium, 30" x 12" x 12" (fits 1/10 Slash®, TRX-4®, & similar)**
9950 **Official Team Traxxas® racing decal set(flag logo/ 6-color)**
9909 **Traxxas® racing banner, red & black (3x7 feet)**

Tires & Wheels

5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
5854 **Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X, #6469)**
1747P **Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)**
8347 Nuts, 4mm flanged nylon locking, serrated (black) (10)
1747R **Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)**
1747G **Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)**
1747T **Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)**
1747A **Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)**
1985 PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
1647 Silicone Grease
2754 Stub axle pins (4)
10473 Tires & wheels, assembled, glued (dirt oval, graphite gray wheels, Hoosier® tires, foam inserts) (2) (2WD front only)
10474 Tires & wheels, assembled, glued (dirt oval, graphite gray wheels, Hoosier® tires, foam inserts) (2) (4WD front/rear, 2WD rear only)
10470 Tires, Hoosier® (dual profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2)
10457-GRAY **Wheel discs (gray) (4)**
10457-GRN **Wheel discs (green) (4)**
10457-WHT **Wheel discs (white) (4)**
10457-YLW **Wheel discs (yellow) (4)**
1654 Wheel hubs, hex (2)/ stub axle pins (2)
1654X **Wheel hubs, hex (blue-anodized, lightweight aluminum) (2)/ axle pins(2)**
3654 Wheel hubs, hex (front) (tall offset) (2)/ axle pins (2.5x10mm) (2)
5853X **Wheel hubs, splined, 17mm, short (2), long (2) (blue-anodized) / wheel nuts, splined, 17mm (blue-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (Slash 2WD)**
5353 **Wheel nuts, splined, 17mm (blue-anodized) (4)**
5480X **Wheel wrench, splined, 17mm**

10471 Wheels, dirt oval, graphite gray, dual profile (2.2" outer, 3.0" inner) (2) (2WD front only)
10472 Wheels, dirt oval, graphite gray, dual profile (2.2" outer, 3.0" inner) (2) (4WD front/rear, 2WD rear only)

Transmission Components

5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
9489 Cover, gear
9480A Differential assembly, center, complete (fits Pro Series Magnum 272R™ Transmission)
9482 Differential gasket/ x-rings (2)
9481 Differential with steel ring gear/ side cover plate/ gasket/ x-rings (2)/ 2.5x10mm BCS (4)
6783 Gear set, differential (spider gears (4)/ spider gear shaft (2))
9493 Gearbox halves, left & right/ differential cover (charcoal gray)
5148 Grease, white lithium
9492 Idler gear, 30-tooth/ idler gear shaft (steel)
9494 Input gear, 22-tooth/ input shaft (transmission) (heavy duty) (fits Bandit®, Rustler®, Stampede®, Slash® 2WD)
9483 Output gears, differential (2)
9490 Plate, motor, 6061-T6 aluminum (blue-anodized) (3.2mm thick)
9490X **Plate, motor, lightweight machined 6061-T6 aluminum (blue-anodized) (4mm thick)/ 3x10mm CS with split and flat washer (2)**
9490T **Plate, motor, lightweight machined 6061-T6 aluminum (gray-anodized) (4mm thick)/ 3x10mm CS with split and flat washer (2)**
9490G **Plate, motor, lightweight machined 6061-T6 aluminum (green-anodized) (4mm thick)/ 3x10mm CS with split and flat washer (2)**
9490A **Plate, motor, lightweight machined 6061-T6 aluminum (orange-anodized) (4mm thick)/ 3x10mm CS with split and flat washer (2)**
9490P **Plate, motor, lightweight machined 6061-T6 aluminum (pink-anodized) (4mm thick)/ 3x10mm CS with split and flat washer (2)**
9490R **Plate, motor, lightweight machined 6061-T6 aluminum (red-anodized) (4mm thick)/ 3x10mm CS with split and flat washer (2)**
9495 **Pro Series Magnum 272R™ Transmission, complete (assembled) (fits 1/10-scale 2WD Rustler®, Bandit®, Stampede®, Slash®)**
5552X Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
2554 Screws, 3x6mm caphead machine (hex drive) (6)
3931 Screws, 3x8mm flat-head machine (hex drive) (6)
1647 Silicone Grease
5556 Slipper pressure plate & hub (aluminum alloy)
9464 Wheelie bar mount (heavy duty)

Traxxas Tools

3433X **Body reamer (aluminum handle)**
3433 **Body reamer (plastic handle)**
3436 **Cap, body reamer**
3432 **Scissors, curved tip**
3431 **Scissors, straight tip**
8712 **Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive**
8720 **Speed bit handle, large (overmolded)**
8721 **Speed bit handle, medium (one piece)**
8722 **Speed bit handle, premium (rubber overmold)**
8710 **Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive**
8711 **Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive**
8719 **Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive**
8716 **Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive**
8716X **Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive**
8715 **Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive**

8715X	**Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive**
8714	**Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive**
2748R	**Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)**
3415	**Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm. 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)**

Turnbuckles & Threaded Rods

5525	Rod ends (12)/ hollow balls (12)
5347	Rod ends, Revo® (large) with hollow balls (12)
3139A	**Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
3139G	**Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
3139T	**Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
3139P	**Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
3139X	**Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)
3745	Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM