Ford® F-150® Raptor (Model 58394-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Bearings & Bushings

5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
5114	**Ball bearings, blue rubber shield (5x8x2.5mm) (2)**
2545	Bushings (plastic) (5x8x2.5mm) (4)
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)

Body & Accessories

1926	Antenna caps, vinyl (2)/ antenna spool
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
5828	Body accessories kit, 2017 Ford Raptor® (includes grille, hood insert, side mirrors, & mounting hardware)
5920	Body accessories kit, 2017 Ford Raptor® (includes grille, hood insert, side mirrors, & mounting hardware) (includes latches and latch mounts for clipless mounting)
5916-FOX	Body, 2017 Ford Raptor®, Fox (heavy duty)/ decals (includes latches and latch mounts for clipless mounting)
5916	**Body, 2017 Ford Raptor®, heavy duty (clear, requires painting)/decals (includes latches and latch mounts for clipless mounting)**
5915	**Body, Slash® VXL 2WD, ProGraphix® (also fits Slash® 4X4) (graphics are printed, requires paint & final color application)/ decal sheet**
2514	**Decal sheet, racing sponsors**
5921	Grille/ grille mount/ mirrors, side (left & right)/ mirror mounts (left & right)/ body mount adapter/ rear latch retainers (2)/ 2.6x8mm BCS (self-tapping) (3)/ 2.6x20mm BCS (self-tapping) (2)/ 3x10mm BCS (8) (fits #5916 body)
6967	Latch, body mounts (front & rear)
5829	Mirrors, side (left & right)/ mounts (left & right)/ 2.6x8mm BCS (2)
9950	**Official Team Traxxas® racing decal set(flag logo/ 6-color)**

Chassis & Attachments

5526	Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tool
5526R	**Antenna crimp nut, aluminum (red-anodized)/ antenna nut tool**
9463X	**Axle, wheelie bar, 6061-T6 aluminum (blue-anodized) (1)/ 3x12 BCS (with threadlock) (2)**
9463	**Axle, wheelie bar, 6061-T6 aluminum (gray-anodized) (1)/ 3x12 BCS (with threadlock) (2)**
9463G	**Axle, wheelie bar, 6061-T6 aluminum (green-anodized) (1)/ 3x12 BCS (with threadlock) (2)**
9463A	**Axle, wheelie bar, 6061-T6 aluminum (orange-anodized) (1)/ 3x12 BCS (with threadlock) (2)**
9463P	**Axle, wheelie bar, 6061-T6 aluminum (pink-anodized) (1)/ 3x12 BCS (with threadlock) (2)**
9463R	**Axle, wheelie bar, 6061-T6 aluminum (red-anodized) (1)/ 3x12 BCS (with threadlock) (2)**
6940	Body mounts, front & rear
5624	Box, receiver (sealed)/ foam pad/ silicone grease/ 3x8mm BCS (2)/ 2.5x8mm CS (2)/ 3x6mm BCS (2)
5834	Bumper, front/ bumper mount, front/ adapter (fits 2017 Ford Raptor®)
5836	Bumper, rear/ bumper mount, rear (black)
5836P	**Bumper, rear/ bumper mount, rear (pink)**
5830	**Chassis conversion kit, low CG (Slash®)**
5832	**Chassis, low CG (black)**
5832A	**Chassis, low CG (blue)**
5832G	**Chassis, low CG (grey)**
5822	Chassis, Slash
5822A	**Chassis, Slash (black)**
5827	Hold down, battery/ hold down retainer/ battery post/ foam spacer/ angled body clip
5827X	**Hold down, battery/ hold down retainer/ battery post/ foam spacer/ angled body clip (allows for installation of taller, multi-cell batteries)**
5831	**Lower chassis, low CG (black)**
5831A	**Lower chassis, low CG (blue)**
5831G	**Lower chassis, low CG (grey)**
5823	Nerf bars, chassis (black)
5833	**Nerf bars, low CG (black)**
5833A	**Nerf bars, low CG (blue)**
5833G	**Nerf bars, low CG (grey)**
5625	Seal kit, receiver box (includes o-ring, seals, and silicone grease)
9462X	**Side plates, wheelie bar, blue (aluminum) (2)**
9462	**Side plates, wheelie bar, charcoal gray (aluminum) (2)**
9462G	**Side plates, wheelie bar, green (aluminum) (2)**
9462A	**Side plates, wheelie bar, orange (aluminum) (2)**
9462P	**Side plates, wheelie bar, pink (aluminum) (2)**
9462R	**Side plates, wheelie bar, red (aluminum) (2)**
5837	Skidplates, front & rear (black)
5185	**Tires, rubber (2) (fits Traxxas® wheelie bar wheels)**
4974	**Wheelie Bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)**
3677X	**Wheelie bar mount (1) / hardware (blue)**
3677A	**Wheelie bar mount (1) / hardware (green)**
3677P	**Wheelie bar mount (1) / hardware (pink)**
3677	Wheelie bar mount (1)/ hardware (Stampede®, Rustler®, Bandit series)
9464	**Wheelie bar mount (heavy duty)**
3678	**Wheelie bar, assembled (black) (fits Slash®, Stampede®, Rustler®, Bandit® series)**
3678X	**Wheelie bar, assembled (blue) (fits Stampede®, Rustler®, Bandit series)**
3678A	**Wheelie bar, assembled (green) (fits Slash®, Stampede®, Rustler®, Bandit® series)**
3678T	**Wheelie bar, assembled (orange) (fits Slash®, Stampede®, Rustler®, Bandit® series)**
3678P	**Wheelie bar, assembled (pink) (fits Slash, Stampede®, Rustler®, Bandit series)**
3678R	**Wheelie bar, assembled (red) (fits Slash®, Stampede®, Rustler®, Bandit® series)**
9460	**Wheelie bar, black (assembled)/ wheelie bar mount**
9460X	**Wheelie bar, black chrome (assembled)/ wheelie bar mount**
4976	**Wheels (4)/ Axles (2), for Maxx® Wheelie Bar**
5186A	**Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)**
5186	**Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)**
9461X	**Wheels, wheelie bar, 6061-T6 aluminum (blue-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)**
9461T	**Wheels, wheelie bar, 6061-T6 aluminum (gray-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)**
9461G	**Wheels, wheelie bar, 6061-T6 aluminum (green-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)**
9461A	**Wheels, wheelie bar, 6061-T6 aluminum (orange-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)**
9461P	**Wheels, wheelie bar, 6061-T6 aluminum (pink-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)**
9461R	**Wheels, wheelie bar, 6061-T6 aluminum (red-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)**
9461	**Wheels, wheelie bar, black (26mm (2), 18mm (2))**

Differential Components

2380	**Differential, complete (fits 1/10-scale 2WD Rustler®, Bandit, Stampede®, Slash®)**
2381X	Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®)
2382	Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel
2388X	Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®)
5169	Screws, 2.6x8mm countersunk machine (6) (EZ Start 2 motor)
1647	Silicone Grease

Driveline Components

3637	Axles (front) (2)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
9150	**Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9150-BLUE	**Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9150-GRAY	Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9150-GRN	**Carriers, stub axle, rear, extreme heavy duty, green (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9150-ORNG	**Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9150-RED	**Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9059X	**Cross pin (2)/ drive pin (2) (repairs 1 axle shaft)**

9057X **Differential output shafts, steel-splined constant-velocity (2)**
6828A Differential output yoke assembly, extreme heavy duty (2) (left or right, front or rear) (assembled with external-splined half shaft)/ screw pin (2)
6852A Driveshaft assembly, rear, extreme heavy duty (1) (left or right) (fully assembled, ready to install)/ screw pin (1)
6852R **Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2)**
9052X **Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2)**
6750 **Half shaft, external splined (steel-spline constant velocity) (1)**
9055X **Half shaft, external splined (steel-spline constant velocity) (1)**
9056X **Half shaft, internal splined (steel-spline constant velocity) (1)**
6751 **Half shaft, internal splined (steel-spline constant velocity) (1)**
9058X **Rebuild kit, steel-splined constant-velocity driveshafts (includes pins and hardware for one axle shaft)**
6757 **Rebuild kit, steel-splined constant-velocity driveshafts (includes pins, dustboots, lube, and hardware)**
6853A Stub axle assembly, rear, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft)
2754 Stub axle pins (4)
9053X **Stub axle, rear, steel-splined constant velocity (1)**
6753 **Stub axle, rear, steel-splined constant velocity (1)**

Extreme HD Upgrade Kit

9150 **Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9150-BLUE **Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9150-GRAY Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9150-GRN **Carriers, stub axle, rear, extreme heavy duty, green (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9150-ORNG **Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9150-RED **Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9136 **Caster blocks (c-hubs), extreme heavy duty, black (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)**
9136-BLUE **Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)**
9136-GRAY Caster blocks (c-hubs), extreme heavy duty, gray (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)
9136-GRN **Caster blocks (c-hubs), extreme heavy duty, green (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)**
9136-ORNG **Caster blocks (c-hubs), extreme heavy duty, orange (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)**
9136-RED **Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)**
9181 **Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, black (fits Slash® 2WD)**
9181-BLUE **Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, blue (fits Slash® 2WD)**
9181-GRAY Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, gray (fits Slash® 2WD)
9181-GRN **Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, green (fits Slash® 2WD)**
9181-ORNG **Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, orange (fits Slash® 2WD)**
9181-RED **Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, red (fits Slash® 2WD)**
3638R Shock tower (rear) (for clipless body mounting)
9137 **Steering blocks, extreme heavy duty, black (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9137-BLUE **Steering blocks, extreme heavy duty, blue (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9137-GRAY Steering blocks, extreme heavy duty, gray (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9137-GRN **Steering blocks, extreme heavy duty, green (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9137-ORNG **Steering blocks, extreme heavy duty, orange (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9137-RED **Steering blocks, extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9197 **Suspension link set, black (for use with #9180, 9181 upgrade kit)**

Front Suspension & Steering

3637 Axles (front) (2)
5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
2530-BLK Bulkhead (front) (black)
2530-GRAY **Bulkhead (front) (grey)**
2545 Bushings (plastic) (5x8x2.5mm) (4)
9136 **Caster blocks (c-hubs), extreme heavy duty, black (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)**
9136-BLUE **Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)**
9136-GRAY Caster blocks (c-hubs), extreme heavy duty, gray (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)
9136-GRN **Caster blocks (c-hubs), extreme heavy duty, green (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)**
9136-ORNG **Caster blocks (c-hubs), extreme heavy duty, orange (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)**
9136-RED **Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)**
5347 Rod ends, Revo® (large) with hollow balls (12)
3646 Screws, 3x15mm flat-head machine (hex drive) (6)
3744X Servo saver w/ adapters
3639 Shock tower (front)
3743 Steering bellcranks (l&r)/ draglink
3743A **Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)**
3743G **Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)**
3743T **Steering bellcranks, drag link (orange-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)**
3743P **Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)**
3743X **Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)**
6845X **Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering**
9137 **Steering blocks, extreme heavy duty, black (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9137-BLUE **Steering blocks, extreme heavy duty, blue (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9137-GRAY Steering blocks, extreme heavy duty, gray (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9137-GRN **Steering blocks, extreme heavy duty, green (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9137-ORNG **Steering blocks, extreme heavy duty, orange (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9137-RED **Steering blocks, extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
3631X Suspension arms, black, front, heavy duty (2)
3631A **Suspension arms, blue, front, heavy duty (2)**
3631G **Suspension arms, green, front, heavy duty (2)**
3631T **Suspension arms, orange, front, heavy duty (2)**
3631R **Suspension arms, red, front, heavy duty (2)**
2640 Suspension pins, 44mm (2) w/ E-clips
9142 Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit)
2532 Tie bar, fiberglass
1935 Turnbuckles, 36mm (2)
3139A **Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**

BFGoodrich and all associated names are trademarks used with permission. Distributed under license by Traxxas LP. Copyright © 2024 MNA, Inc. All rights reserved.

3139G **Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
3139T **Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
3139P **Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
3139X **Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
3644 Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)
3745 Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)

Hardware

1926 **Antenna caps, vinyl (2)/ antenna spool**
1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
3935 Body clip (mounting clip), angled, 90-degrees (10)
3935A **Body clip (mounting clip), angled, 90-degrees (black) (10)**
3934 Body clips, heavy duty (12)
4859 CS 3x10 flathead (hex drive)
1589 Double-sided adhesive tape (25mm x 25mm)
1633 E-clips/ C-rings
2745 Nuts, 3mm nylon locking (12)
1747P **Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)**
3647 Nuts, 4mm flanged nylon locking (steel, serrated) (8)
1747 Nuts, 4mm nylon locking (10)
1747R **Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)**
1747G **Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)**
1747T **Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)**
1747A **Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)**
1985 PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
5525 Rod ends (12)/ hollow balls (12)
5347 Rod ends, Revo® (large) with hollow balls (12)
2742X Rod ends, short (6)/ hollow balls (6)
3215 Screws, 2.5x6mm cap-head machine (hex drive) (6)
3965 Screws, 2.5x8mm cap-head machine (6)
2577 Screws, 3x10mm button-head machine (hex drive) (6)
2578 Screws, 3x12mm button-head machine (hex drive) (6)
2552 Screws, 3x12mm countersunk machine (6) (hex drive)
2579 Screws, 3x15mm button-head machine (hex drive) (6)
2586 Screws, 3x15mm cap-head machine (hex drive) (6)
3646 Screws, 3x15mm flat-head machine (hex drive) (6)
2583 Screws, 3x18 button-head machine (hex drive) (6)
2580 Screws, 3x20mm button-head machine (hex drive) (6)
2591 Screws, 3x23mm button-head machine (hex drive) (6)
2582 Screws, 3x30mm button-head machine (hex drive) (6)
2592 Screws, 3x40mm button-head machine (hex drive) (6)
2575 Screws, 3x6mm button-head machine (hex drive) (6)
3932 Screws, 3x6mm flat-head machine (hex drive) (6)
2576 Screws, 3x8mm button-head machine (hex drive) (6)
3931 Screws, 3x8mm flat-head machine (hex drive) (6)
3937 Screws, 4x12mm button-head machine (hex drive) (6)
2542 Screws, 4x12mm countersunk machine (hex drive) (6)
2546 Screws, 4x15mm countersunk machine (hex drive) (6)
2743 Set (grub) screws, 3mm hardened (12)
5529 Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)
3742 Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2)
3642X **Shoulder screws, Ultra Shocks (3x12 hex drive) (6)**
2754 Stub axle pins (4)
2746 **Washers, 3x6mm metal (12)**

Motors & Electronics

1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
2260 **BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)**
3382 BL-2s™ Brushless Power System, waterproof (includes BL-2s™ ESC & BL-2s™ 3300 motor)
3383 BL-2s™ Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)
3340 **Cooling fan, electronic speed control, Velineon® VXL-3s or BL-2s™**
3790 Gear adapter, fixed
2072A Gear set (for 2070, 2075 servos)
2252 **Gear set, metal (for 2250, 2255 servos)**
2272 **Gear set, metal (for 2270 waterproof servo)**
3384 Motor, BL-2s™ 3300, brushless
3931 Screws, 3x8mm flat-head machine (hex drive) (6)
2254 **Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)**
2253 **Servo case, aluminum (middle) (red-anodized) (for 2255 servo)**
2251 **Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)**
2271 **Servo case/ gaskets (for 2270 waterproof servo)**
2074 Servo case/gaskets (for 2056 and 2075 waterproof servos)
2075R **Servo, digital high-speed, metal gear (ball bearing), waterproof**
2075 Servo, digital high-torque (ball bearing), waterproof
2250 **Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof**
2255 **Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof**
2280 **Servo, digital high-torque 600 brushless, metal gear (ball bearing), waterproof**
2270 **Servo, digital high-torque, metal gear (ball bearing), waterproof**
2075X **Servo, digital high-torque, metal gear (ball bearing), waterproof**
3350R **Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC , Velineon® 3500 motor, and speed control mounting plate (part #3725))**

Radio System, Batteries & Chargers

2827X **3000mah 7.4v 2-Cell LiPo Battery**
2842X **5000mah 7.4v 2-Cell 25C LiPo Battery**
2843X **5800mah 7.4v 2-Cell 25C LiPo Battery**
2869X **7600mah 7.4v 2-Cell 25C LiPo Battery**
2914 **AA 4PK**
2976 **AC to DC adapter**
2938X **Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports)**
5526 Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tool
5526R **Antenna crimp nut, aluminum (red-anodized)/ antenna nut tool**
2943 **Battery charge indicators, green (4), grey (4), blue (4)**
6548 Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter)
2923X **Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)**
2926X **Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V)**
2940X **Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)**
2941X **Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V)**
2950X **Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)**
2951X **Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V)**
2960X **Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)**
2961X **Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V)**
2985-2S **Battery/charger completer pack (includes #2985 charger (1), #2827X 3000mAh 7.4V 2-cell 20C LiPo iD® Battery (1))**
2260 **BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)**
2975 **Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)**
2972 **Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification**
2973 **Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification**
2970 **Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification**
2981 **Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification**
2985 **Charger, EZ-Peak®, USB-C, 40W, NiMH/LiPo with iD® Auto Battery Identification**
2982 **Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®)**
6525 **Communication link, telemetry expander**
2978 **Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977)**
2072A Gear set (for 2070, 2075 servos)
2252 **Gear set, metal (for 2250, 2255 servos)**
2272 **Gear set, metal (for 2270 waterproof servo)**
2968X **LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)**
2968 **LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)**
6554X **Mount, telemetry expander (fits Rustler®, Bandit, Slash 2WD)**
6535 **Mount, temperature sensor (electric motors)/ wire tie/ thermal pad**
2912 **Power adapter, AC, USB-C (45W) (110 volt, North America only)**
2916 **Power cable, USB-C, 100W (high output), 5 ft. (1.5m)**
6519 Receiver, micro, TQ 2.4GHz (3-channel)
6552 **Seal kit, expander box (includes o-ring, seals, and silicone grease)**
6526 **Sensor, auto-detectable, temperature**
6527 **Sensor, auto-detectable, voltage**
6520 **Sensor, RPM (long)/ 3x4mm BCS (1)/ 3x4 GS (1)**
6521 **Sensor, temperature and voltage (long)**
2254 **Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)**
2253 **Servo case, aluminum (middle) (red-anodized) (for 2255 servo)**

BFGoodrich and all associated names are trademarks used with permission. Distributed under license by Traxxas LP. Copyright © 2024 MNA, Inc. All rights reserved.

2251	**Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)**
2271	**Servo case/ gaskets (for 2270 waterproof servo)**
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
2075R	**Servo, digital high-speed, metal gear (ball bearing), waterproof**
2075	Servo, digital high-torque (ball bearing), waterproof
2250	**Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof**
2255	**Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof**
2270	**Servo, digital high-torque, metal gear (ball bearing), waterproof**
2075X	**Servo, digital high-torque, metal gear (ball bearing), waterproof**
6553X	**Telemetry Expander 2.0 and GPS module 2.0, TQi radio system**
6550X	**Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)**
6551X	**Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)**
6538	**Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3)**
6540	**Telemetry trigger magnet, 5X2mm (1)**
6509R	**TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link enabled, TSM® (2-ch transmitter, 5-ch micro receiver)**
6507R	**TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro receiver)**
6516	Transmitter, TQ 2.4GHz, 2-channel (transmitter only)
6528	**Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 2-channel (transmitter only)**
6529	**Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 3-channel (transmitter only)**
6530	**Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-channel (transmitter only)**
6511	**Traxxas® Link Bluetooth® module**
6537	**Wire retainers, gear cover/ 3x4mm BCS (2)**

Ready-To-Race Model

58394-4	Ford® F-150 Raptor: 1/10-Scale Ford® F-150 Raptor with TQ™ 2.4GHz radio system

Rear Suspension

5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
9150	**Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9150-BLUE	**Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9150-GRAY	Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9150-GRN	**Carriers, stub axle, rear, extreme heavy duty, green (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9150-ORNG	**Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9150-RED	**Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
3638R	Shock tower (rear) (for clipless body mounting)
3655P	**Suspension arms, blue, front/rear (left & right), heavy duty (2)**
3655R	Suspension arms, front/rear (left & right), heavy duty (2)
3655G	**Suspension arms, green, front/rear (left & right), heavy duty (2)**
3655T	**Suspension arms, orange, front/rear (left & right), heavy duty (2)**
3655L	**Suspension arms, red, front/rear (left & right), heavy duty (2)**
9142	Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit)
3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)

Shock Oil

5031	**Oil, shock (20 wt, 200 cSt, 60cc) (silicone)**
5032	Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
5033	**Oil, shock (40 wt, 500 cSt, 60cc) (silicone)**
5034	**Oil, shock (50 wt, 600 cSt, 60cc) (silicone)**
5035	**Oil, shock (60 wt, 700 cSt, 60cc) (silicone)**
5036	**Oil, shock (70 wt, 900 cSt, 60cc) (silicone)**
5037	**Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)**
5029	**Shock oil bottle (60cc) (for mixing shock oil)**
5038X	**Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)**
5038	**Spinning carousel rack**

Shocks (Pro-level Aluminum)

2664	**Big Bore shock cylinder (long) (1)**
5862	**Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4)**
2660	**Big-bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (2)**
2662	**Big-bore shocks (xx-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2)**
2669	**Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks)**
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742X	Rod ends, short (6)/ hollow balls (6)
2667	**Shock caps, aluminum (2) (Big Bore Shocks)**
2362	**Shock rebuild kit (for 2 shocks)**
1664T	**Shock shafts, hardened steel, titanium nitride coated (long) (2)**
2656T	**Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)**
1664	Shock shafts, steel, chrome finish (long) (2)
2656	Shock shafts, steel, chrome finish (xx-long) (2)
1765	Silicone diaphragms (4)
2668	**Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)**
5860	**Springs, front (white) (progressive rate) (2) (for Slash big bore shocks)**
5859	**Springs, rear (white) (progressive rate) (2) (for Slash big bore shocks)**

Shocks (Ultra Shocks)

3765A	Body, Ultra Shock (long) (grey) (2)
3766A	Body, Ultra Shock (XXL) (grey) (2)
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742X	Rod ends, short (6)/ hollow balls (6)
3767	**Shock caps (2)/ shock bottoms (2)**
8361	Shock caps (black) (4) (assembled with hollow balls)
3767A	**Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks)**
3767G	**Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks)**
3767T	**Shock caps, aluminum (orange-anodized) (4) (fits all Ultra Shocks)**
3767P	**Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks)**
3767X	**Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks)**
2362	**Shock rebuild kit (for 2 shocks)**
1664T	**Shock shafts, hardened steel, titanium nitride coated (long) (2)**
2656T	**Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)**
1664	**Shock shafts, steel, chrome finish (long) (2)**
2656	Shock shafts, steel, chrome finish (xx-long) (2)
3642X	**Shoulder screws, Ultra Shocks (3x12 hex drive) (6)**
1765	Silicone diaphragms (4)
3769	Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)
3768	Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole (2))
2458P	**Springs (front) (pink) (2)**
2458A	**Springs (front) (white) (2)**
3757T	**Springs, blue (rear) (2)**
2458	**Springs, front (black) (2)**
5857P	**Springs, front (pink) (progressive rate) (2)**
5857	Springs, front (white) (progressive rate) (2)
3757A	**Springs, green (rear) (2)**
3757P	**Springs, pink (rear) (2)**
3757	**Springs, rear (black) (2)**
5858P	**Springs, rear (pink) (progressive rate) (2)**
5858	Springs, rear (white) (progressive rate) (2)
4957	**Springs, red (for Ultra Shocks only) (2.5 rate) (f/r) (2)**
3757X	**Springs, white (rear) (2)**
3760	**Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2)**
3762	**Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)**
3760A	Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2)
3762A	Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)

Slipper Clutch Components

3793	Input shaft (slipper shaft) / spring pin
5552X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
2554	Screws, 3x6mm caphead machine (hex drive) (6)
5556	Slipper pressure plate & hub (aluminum alloy)

BFGoodrich and all associated names are trademarks used with permission. Distributed under license by Traxxas LP. Copyright © 2024 MNA, Inc. All rights reserved.

Spur Gears & Pinion Gears

3790 Gear adapter, fixed
2416 Gear, 16-T pinion (48-pitch) / set screw
1918 Gear, 18-T pinion (48-pitch) / set screw
2419 Gear, 19-T pinion (48-pitch) / set screw
2421 Gear, 21-T pinion (48-pitch) / set screw
2422 Gear, 22-T pinion (48-p) (fits 3mm shaft)/ set screw
2423 Gear, 23-T pinion (48-pitch) (fits 3mm shaft)/ set screw
2426 Gear, 26-T pinion (48-pitch) (fits 3mm shaft)/ set screw
4728 Gear, 28-T pinion (48-pitch) (fits 3mm shaft)/ set screw
2431 Gear, 31-T pinion (48-pitch) (fits 3mm shaft)/ set screw
4725 Gear, pinion (25-tooth) (48-pitch) / set screw
4683 Spur gear, 83-tooth (48-pitch) (for models with Torque Control slipper clutch)
4686 Spur gear, 86-tooth (48-pitch) (for models with Torque-Control slipper clutch)
4690 Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch)

Steering Components

2728 Ball bearings (5x8x2.5mm) (2)
2545 Bushings (plastic) (5x8x2.5mm) (4)
1985 PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
2742 Rod ends, long (6)/ hollow ball connectors (6)
5347 Rod ends, Revo® (large) with hollow balls (12)
3744 Servo saver w/ adapters
3742 Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2)
3743 Steering bellcranks (l&r)/ draglink
3743A Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
3743G Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
3743T Steering bellcranks, drag link (orange-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
3743P Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
3743X Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
6845X Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering
3139A Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3139G Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3139T Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3139P Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3139X Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3745 Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)
2746 Washers, 3x6mm metal (12)

Suspension Linkage

5525 Rod ends (12)/ hollow balls (12)
5347 Rod ends, Revo® (large) with hollow balls (12)
3739 Screw pin set (Rustler®/ Bandit/ Stampede®)
5529 Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)
2640 Suspension pins, 44mm (2) w/ E-clips
9142 Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit)
3139A Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3139G Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3139T Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3139P Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3139X Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3644 Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)
3745 Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)

Team Traxxas Items

9916 Backpack, RC car carrier, 12" x 12" x 24" (fits TRX-4 & similar)
2514 Decal sheet, racing sponsors
9917 Duffel bag, medium, 30" x 12" x 12" (fits 1/10 Slash®, TRX-4®, & similar)
9950 Official Team Traxxas® racing decal set(flag logo/ 6-color)
9909 Traxxas® racing banner, red & black (3x7 feet)

Tires & Wheels

5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
5854 Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X, #6469)
1747P Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)
3647 Nuts, 4mm flanged nylon locking (steel, serrated) (8)
1747R Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
1747G Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
1747T Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)
1747A Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)
1985 PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
1647 Silicone Grease
2754 Stub axle pins (4)
5882R Tire & wheel assy, glued (S1 compound) (SCT Split-Spoke satin chrome, black beadlock style wheels, Kumho tires, foam inserts) (2) (2WD front)
6874R Tire & wheel assy, glued (S1 compound) (SCT Split-Spoke satin chrome, black beadlock wheel, Kumho tire, insert) (2) (4WD front/rear, 2WD rear only)
5877R Tire & wheel assy, glued (S1 compound) (SCT Split-Spoke, chrome red beadlock wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, inserts) (2) (2WD front)
6873R Tire & wheel assy, glued (S1 compound) (SCT SS, chrome red beadlock wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, inserts) (2) (4WD f/r, 2WD rear)
6873X Tire & wheel assy, glued (S1 compound) (SCT SS, satin chrome black beadlock wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, inserts) (2) (4WD f/r, 2WD rear)
5869 Tire & wheel assy, glued (SCT chrome, red beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (2WD front)
5867 Tire & wheel assy, glued (SCT chrome, red beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, inserts) (2)(4WD front/rear, 2WD rear only)
5881X Tire & wheel assy, glued (SCT satin chrome, beadlock style wheels, Kumho tires, foam inserts) (2) (2WD front only)
5880X Tire & wheel assy, glued (SCT satin chrome, beadlock style wheels, Kumho tires, foam inserts) (2) (4WD front/rear, 2WD rear only)
5881 Tire & wheel assy, glued (SCT satin chrome, black beadlock style wheels, Kumho tires, foam inserts) (2) (2WD front)
5880 Tire & wheel assy, glued (SCT satin chrome, black beadlock style wheels, Kumho tires, foam inserts) (2) (4WD front/rear, 2WD rear only)
5875X Tire & wheel assy, glued (SCT satin chrome, black beadlock style wheels, SCT off-road racing tires, foam inserts) (2) (2WD front)
5878 Tire & wheel assy, glued (SCT satin chrome, black beadlock wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, insert) (2)(4WD front/rear, 2WD rear only)
6873A Tire & wheel assy, glued (SCT Split-Spoke chrome, red beadlock style wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, inserts) (2) (4WD f/r, 2WD rear)
5882 Tire & wheel assy, glued (SCT Split-Spoke satin chrome, black beadlock style wheels, Kumho tires, foam inserts) (2) (2WD front)
6874 Tire & wheel assy, glued (SCT Split-Spoke satin chrome, black beadlock style wheels, Kumho tires, foam inserts) (2) (4WD front/rear, 2WD rear only)
5885A Tire & wheel assy, glued (SCT Split-Spoke, black, blue beadlock wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, inserts) (2) (2WD Front)
5883A Tire & wheel assy, glued (SCT Split-Spoke, black, blue beadlock wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, inserts) (2) (4WD f/r, 2WD rear)
5885 Tire & wheel assy, glued (SCT Split-Spoke, black, satin chrome beadlock wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, inserts) (2) (2WD Front)

BFGoodrich and all associated names are trademarks used with permission. Distributed under license by Traxxas LP. Copyright © 2024 MNA, Inc. All rights reserved.

5883 Tire & wheel assy, glued (SCT Split-Spoke, black, satin chrome beadlock wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, inserts) (2) (4WD f/r, 2WD rear)
5877A Tire & wheel assy, glued (SCT Split-Spoke, chrome red beadlock wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, inserts) (2) (2WD Front)
5877 Tire & wheel assy, glued (SCT Split-Spoke, satin, black beadlock wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, foam inserts) (2) (2WD Front)
5864 Tire & wheel assy, glued (SCT, black, orange beadlock wheels, SCT off-road racing tires, foam inserts) (2) (2WD Front)
5863 Tire & wheel assy, glued (SCT, black, orange beadlock wheels, SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM® rated)
5865 Tire & wheel assy, glued (SCT, chrome, green beadlock wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, foam inserts) (2) (2WD front only)
6876 Tire & wheel assy, glued (SCT, chrome, green beadlock wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, foam inserts) (2) (4WD front/rear, 2WD rear only)
5873X Tire & wheel assy, glued (SCTsatin chrome, black beadlock style wheels, SCT off-road racing tires, foam inserts) (2) (4WD front/rear, 2WD rear only)
5869A Tires & wheels, assembled, glued (SCT chrome, blue beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (2WD front)
5867A Tires & wheels, assembled, glued (SCT chrome, blue beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (4WD front/rear, 2WD rear only)
5891 Tires & wheels, assembled, glued (SCT Split-Spoke black, satin chrome beadlock style wheels, paddle tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM® rated)
6873 Tires & wheels, assembled, glued (SCT Split-Spoke satin chrome, black beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM® rated)
5875 Tires & wheels, assembled, glued (SCT, satin chrome wheels, beadlock type (dual profile 2.2" outer 3.0" inner), SCT off-road tires, foam inserts) (2) (Front)
5873 Tires & wheels, assembled, glued (SCT, satin chrome wheels, beadlock type (dual profile 2.2" outer 3.0" inner), SCT off-road tires, foam inserts) (2) (Rear) (TSM® rated)
5873A Tires & wheels, assembled, glued (SCT, satin chrome wheels, red beadlock, (dual profile 2.2" outer 3.0" inner), SCT off-road tires, foam inserts) (2) (Rear)
5873R Tires & wheels, assembled, glued (SCT, satin chrome, red beadlock wheels, ultra soft S1 compound off-road racing tires, foam inserts) (2) (2WD Rear, 4WD F/R)
6871 Tires, BFGoodrich® Mud-Terrain™ T/A® KM2 (dual profile 4.3x1.7-2.2/3.0") (2)/ foam inserts (2)
6871R Tires, BFGoodrich® Mud-Terrain™ T/A® KM2 , ultra-soft (S1 off-road racing compound) (dual profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2)
6870 Tires, Kumho (dual profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2)
6870R Tires, Kumho, ultra-soft (S1 off-road racing compound) (dual profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2)
5871 Tires, off-road racing, SCT dual profile 4.3x1.7- 2.2/3.0" (2)/ foam inserts (2)
5871R Tires, Ultra soft, S1 compound for off-road racing, SCT dual profile 4.3x1.7- 2.2/3.0" (2)/ foam inserts (2)
3654 Wheel hubs, hex (front) (tall offset) (2)/ axle pins (2.5x10mm) (2)
1654 Wheel hubs, hex (rear) (2)/ stub axle pins (2)
5853X Wheel hubs, splined, 17mm, short (2), long (2) (blue-anodized) / wheel nuts, splined, 17mm (blue-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (Slash 2WD)
5353 Wheel nuts, splined, 17mm (blue-anodized) (4)
5480X Wheel wrench, splined, 17mm
5868A Wheels, SCT chrome, blue beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only)
5870A Wheels, SCT chrome, blue beadlock style, dual profile (2.2" outer, 3.0" inner) (2) (2WD front only)
5868 Wheels, SCT chrome, red beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only)
5874 Wheels, SCT satin chrome, beadlock style, dual profile (2.2" outer 3.0" inner) (2) (Front)
5872 Wheels, SCT satin chrome, beadlock style, dual profile (2.2" outer 3.0" inner) (2) (Rear)
5874X Wheels, SCT satin chrome, black beadlock style, dual profile (2.2" outer 3.0" inner) (2) (2WD front only)
5872X Wheels, SCT satin chrome, black beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only)
5874A Wheels, SCT satin chrome, red beadlock style, dual profile (2.2" outer 3.0" inner) (Front) (2)
5886A Wheels, SCT split-spoke, black, blue beadlock style, dual profile (2.2" outer 3.0" inner) (2WD front) (2)
5884A Wheels, SCT Split-Spoke, black, blue beadlock style, dual profile (2.2" outer 3.0" inner) (4WD f/r, 2WD rear) (2)
5886 Wheels, SCT Split-Spoke, black, satin chrome beadlock style, dual profile (2.2" outer 3.0" inner) (2WD front) (2)
5884 Wheels, SCT Split-Spoke, black, satin chrome beadlock style, dual profile (2.2" outer 3.0" inner) (4WD f/r, 2WD rear) (2)
6872X Wheels, SCT Split-Spoke, chrome, green beadlock style, dual profile (2.2" outer 3.0" inner) (4WD front/rear, 2WD rear) (2)
6872A Wheels, SCT Split-Spoke, chrome, red beadlock style, dual profile (2.2" outer 3.0" inner) (4WD front/rear, 2WD rear) (2)
5876 Wheels, SCT Split-Spoke, satin chrome, black beadlock style, dual profile (2.2" outer 3.0" inner) (2WD front) (2)
6872 Wheels, SCT Split-Spoke, satin chrome, black beadlock style, dual profile (2.2" outer 3.0" inner) (4WD front/rear, 2WD rear only) (2)
5870X Wheels, SCT, black, orange beadlock style, dual profile (2.2" outer 3.0" inner) (2WD front) (2)
5868X Wheels, SCT, black, orange beadlock style, dual profile (2.2" outer 3.0" inner) (4WD f/r, 2WD rear) (2)
5866 Wheels, SCT, chrome, green beadlock style, dual profile (2.2" outer 3.0" inner) (2) (2WD front only)
6875 Wheels, SCT, chrome, green beadlock style, dual profile (2.2" outer 3.0" inner) (2) c

Transmission Components

5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
3792 Cover, gear/ rubber gear cover plug/ 3x6 RM (2)
3790 Gear adapter, fixed
3691 Gearbox halves (L&R) (black) w/ idler gear shaft
3691A Gearbox halves (L&R) (grey) w/ idler gear shaft
5148 Grease, white lithium
9492 Idler gear, 30-tooth/ idler gear shaft (steel)
3696 Idler gear, steel (30-tooth)
9494 Input gear, 22-tooth/ input shaft (transmission) (heavy duty) (fits Bandit®, Rustler®, Stampede®, Slash® 2WD)
3793 Input shaft (slipper shaft) / spring pin
2381X Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®)
1552 Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench
2382 Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel
2388X Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®)
9495 Pro Series Magnum 272R™ Transmission, complete (assembled) (fits 1/10-scale 2WD Rustler®, Bandit®, Stampede®, Slash®)
5552X Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
2554 Screws, 3x6mm caphead machine (hex drive) (6)
3931 Screws, 3x8mm flat-head machine (hex drive) (6)
1647 Silicone Grease
5556 Slipper pressure plate & hub (aluminum alloy)
3195 Top drive gear, steel (22-tooth)
3695 Transmission, complete (fits 1/10-scale 2WD Rustler®, Bandit®, Stampede®, Slash®)

Traxxas Tools

3433X Body reamer (aluminum handle)
3433 Body reamer (plastic handle)
3436 Cap, body reamer
3432 Scissors, curved tip
3431 Scissors, straight tip
8712 Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
8720 Speed bit handle, large (overmolded)
8721 Speed bit handle, medium (one piece)
8722 Speed bit handle, premium (rubber overmold)
8710 Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8711 Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8719 Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8716 Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive

BFGoodrich and all associated names are trademarks used with permission. Distributed under license by Traxxas LP. Copyright © 2024 MNA, Inc. All rights reserved.

8716X	**Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive**
8715	**Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive**
8715X	**Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive**
8714	**Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive**
2748R	**Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)**
3415	**Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm. 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)**

Turnbuckles & Threaded Rods

5525	Rod ends (12)/ hollow balls (12)
5347	Rod ends, Revo® (large) with hollow balls (12)
3139A	**Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
3139G	**Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
3139T	**Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
3139P	**Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
3139X	**Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)
3745	Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.com

BFGoodrich and all associated names are trademarks used with permission. Distributed under license by Traxxas LP. Copyright © 2024 MNA, Inc. All rights reserved.